EPA's Non-CBI Summary Tables for 2014 Company Progress Reports

http://epa.gov/oppt/pfoa/pubs/preports.htm

Table 1. Reported Emissions and Product Content of PFOA, Precursors, and Higher Homologues from U.S. Operations

	Reduction Year	Chemical Category	Emissions		Product Content					
Company			Releases to all media from FP and Telomer Manufacturing (kg)	kg of release / kg of product produced	Dispersions (ppm wet- weight basis)	Other Fluoropolymers (ppm dry-weight basis)	Telomers (ppm dry-weight basis, unless stated otherwise)			
Arkema	2013	PFOA, PFOA salts and Higher Homologues	>500 - 2,000	>0.0001- 0.0005	0	>5-20	Not Applicable			
		Precursors	Not Applicable							
Asahi	2013	PFOA, PFOA salts and Higher Homologues	0	Not Applicable	0	0	Not Applicable			
		Precursors	Not Applicable							
Ciba/BASF	2013	PFOA Higher Homologues Precursors	Not Applicable							
Clariant	2013	PFOA and PFOA salts Direct Precursors	Not Applicable							
		PFOA	0	0	0	0	0			
Daikin	2014	Precursor and Higher Homologues	0	0	Not Applicable	Not Applicable	0			
DuPont	2013	PFOA and PFOA Salts	90	None reported	2	2	9 kg¹			
		Higher Homologues	None Reported	None reported	2	2	None reported			
		Precursors	CBI	None reported	None reported	None reported	<8 kg ¹			
Dyneon/3M	2013	PFOA, PFOA salts and Higher Homologues	0	0	0	0	No Telomer Production			
		Precursors			0					
Solvay Solexis	2013	PFOA, PFOA salts and Higher Homologues	0	0	<2	<1 ppb	Not Applicable			
		Precursors	Not Applicable							

¹ Global number – regional data are CBI

Table 2. Reported Emissions and Product Content of PFOA, Precursors, and Higher Homologues from Non-U.S. Operations

Company			Emissic	ons		Product Content		
	Reduction Year	Chemical Category	Releases to all media from FP and Telomer Manufacturing (kg)	kg of release / kg of product produced	Dispersions (ppm wet- weight basis)	Other Fluoropolymers (ppm dry-weight basis)	Telomers (ppm dry- weight basis, unless stated otherwise)	
Arkema	2013	PFOA, PFOA salts and Higher Homologues	>500 – 2,000	>0.0003- 0.0008	Not Applicable	> 25-75	Not Applicable	
		Precursors	······	E ED	Not Applicable	<u> </u>	1	
Asahi	2013	PFOA, PFOA salts and Higher Homologues	20.1	For FP Production: <1 kg / 100 kg	Not Applicable	18	Negligible compared to precursors	
		Precursors	0	For Telomer Production: <1 kg / 100 kg	Not Applicable	Not Applicable	Average 50% (range: 0-100%)	
		PFOA						
Ciba/BASF	2013	Higher Homologues Precursors			Not Applicable			
Clariant	2013	PFOA and PFOA salts	1.0	None reported	None reported	None reported	<1 kg	
		Direct Precursors	<1.5	None reported	None reported	None reported	<7 kg	
Daikin	2014	PFOA Precursor and Higher Homologues	Not reported					
DuPont	2013	PFOA and PFOA salts	45	None reported	1	0	See note ²	
		Higher Homologues	None reported	None reported	1		None reported	
		Precursors	CBI	None reported	None reported	None reported	See note ²	
Dyneon/3M	2013	PFOA, PFOA salts and Higher Homologues	0	0	0	0	No Telomer Production	
		Precursors			0			
Solvay Solexis	2013	PFOA, PFOA salts and Higher Homologues	Not Applicable					
		Precursors			Not Applicable			

² Global number reported in table 1

Table 3. Reported Percent Reductions in Emissions and Product Content of PFOA, Precursors, and Higher Homologues from

U.S. Operations (cumulative percent reductions from baseline year through end of 2013)

•			% Reduction in Emissions	% Red	duction in Product Content				
Company	Reduction Year	Chemical Category	% Reductions in total quantity of chemical(s) released from baseline year	Fluoropolymer Dispersions	Other Fluoropolymers	Telomer based products			
Arkema	2013	PFOA, PFOA salts and Higher Homologues	91%	100%	96%	Not Applicable			
		Precursors	Not Applicable						
Asahi	2013	PFOA, PFOA salts and Higher Homologues	100%	100%	100%	Not Applicable			
		Precursors		Not Applicable					
Ciba/BASF		PFOA							
	2012	Higher Homologues	Not Applicable						
		Precursors							
Clariant	2013	PFOA and PFOA Salts Direct	Not Applicable						
		Precursors							
		PFOA	100%	100%	100%	100%			
Daikin	2014	Precursor and Higher Homologues	100%	Not Applicable	Not Applicable	100%			
DuPont	2013	PFOA and PFOA Salts	99.8%	99.9%	99%	99%³			
		Higher Homologues	None reported						
		Precursors	CBI	None reported	None reported	98%³			
Dyneon/3M	2013	PFOA, PFOA salts and Higher Homologues	100%	100%	Not Applicable	Not Telomer Production			
		Precursors		No Precursor Prod	duction.				
Solvay Solexis	2013	PFOA, PFOA salts and Higher Homologues	>99.999%	>99.999%	>99.999%	Not Applicable			
		Precursors	Not Applicable						

³ Global number – regional data are CBI

Table 4. Reported Percent Reductions in Emissions and Product Content of PFOA, Precursors, and Higher Homologues from

Non-U.S. Operations (cumulative percent reductions from baseline year through end of 2013)

	Reduction Year	Chemical Category	% Reduction in Emissions	% Reduction in Product Content				
Company			% Reductions in total quantity of chemical(s) released from baseline year	Fluoropolymer Dispersions	Other Fluoropolymers	Telomer based products		
Arkema	2013	PFOA, PFOA salts and Higher Homologues	СВІ	Not Applicable	СВІ	Not Applicable		
		Precursors	Not Applicable					
Asahi	2013	PFOA, PFOA salts and Higher Homologues	99.8%	100%	99.9%	Negligible as compared to precursors.		
		Precursors	100%	Not Applicable	Not Applicable	100%		
Ciba/BASF	2012	PFOA						
		Higher Homologues	Not Applicable					
		Precursors		·	1	·		
Clariant	2013	PFOA and PFOA Salts	>80%	None Reported	None Reported	90%		
		Direct Precursors	>85%	None Reported	None Reported	94%		
Daikin	2014	PFOA Precursor and Higher Homologues	Not reported					
DuPont	2013	PFOA and PFOA Salts	99.8%	99.9%	100%	See note ⁴		
		Higher Homologues	None reported					
		Precursors	CBI	None reported	None reported	See note ⁴		
Dyneon/3M	2013	PFOA, PFOA salts and Higher Homologues	100%	100%	100%	No Telomer Production		
		Precursors	No Precursor Production					
Solvay Solexis	2013	PFOA, PFOA salts and Higher Homologues	Not Applicable					
		Precursors		Not Applical	ole			

⁴ Global number reported in table 3